



**KLEMMEN**



## MINIKLEMMEN

### EGALVANISEERD

| nr.     | formaat | verpakt per |
|---------|---------|-------------|
| 6005008 | 8       | 50          |
| 6005009 | 9       | 50          |
| 6005010 | 10      | 50          |
| 6005011 | 11      | 50          |
| 6005012 | 12      | 50          |
| 6005013 | 13      | 50          |
| 6005014 | 14      | 50          |
| 6005015 | 15      | 50          |



## MINIKLEMMEN

### RVS

| nr.     | formaat | verpakt per |
|---------|---------|-------------|
| 6026008 | 8       | 50          |
| 6026009 | 9       | 50          |
| 6026010 | 10      | 50          |
| 6026011 | 11      | 50          |
| 6026012 | 12      | 50          |
| 6026013 | 13      | 50          |
| 6026014 | 14      | 50          |
| 6026015 | 15      | 50          |



## WORMSCHROEFKLEMMEN

### RVS

Let op: W5 kwaliteit

Volledig roestvrijstalen W5 slangklemmen. Roestvrijstalen band W5 (AISI 316). Roestvrijstalen huis W5 (AISI 316). Roestvrijstalen schroef W5 (AISI 316). Conform DIN 3017 en SMS 2298

| nr.     | inw. /uitw. | verpakt per |
|---------|-------------|-------------|
| 6011008 | 8/16        | 50          |
| 6011013 | 12/20       | 50          |
| 6011015 | 16/25       | 50          |
| 6011019 | 20/32       | 50          |
| 6011026 | 25/40       | 50          |
| 6011032 | 30/45       | 50          |
| 6011038 | 32/50       | 50          |
| 6011044 | 40/60       | 50          |
| 6011050 | 50/70       | 50          |
| 6011058 | 60/80       | Los         |
| 6011068 | 70/90       | Los         |
| 6011077 | 80/100      | Los         |
| 6011087 | 90/110      | Los         |



## WORMSCHROEFKLEMMEN

### EGALVANISEERD

Conform DIN 3017 en SMS 2298;

schroef met zeskant. Band met gesloten fraising en voorzien van afgeronde kanten, zodat beschadiging van de slang wordt voorkomen. Gegalvaniseerd en gechromatiseerd. Voldoet aan de strengste eisen.

| nr.     | inw. /uitw. | verpakt per |
|---------|-------------|-------------|
| 6000008 | 8/ 14       | 50          |
| 6000011 | 11/17       | 50          |
| 6000013 | 13/20       | 50          |
| 6000015 | 15/25       | 50          |
| 6000019 | 19/32       | 50          |
| 6000026 | 26/40       | 50          |
| 6000032 | 32/44       | 50          |
| 6000038 | 38/50       | 50          |
| 6000044 | 44/60       | 50          |
| 6000050 | 50/70       | 50          |
| 6000058 | 58/80       | Los         |
| 6000068 | 68/90       | Los         |
| 6000077 | 77/100      | Los         |
| 6000087 | 87/110      | Los         |



## LEIDINGKLEMMEN

### RVS

Roestvrijstalen band W4 (AISI) Voorzien van EPDM rubber. Bandbreedte: 12 mm

| nr.     | klembereik | verpakt per |
|---------|------------|-------------|
| 6051006 | 6          | 100         |
| 6051008 | 8          | 100         |
| 6051010 | 10         | 50          |
| 6051013 | 13         | 50          |
| 6051016 | 16         | 50          |
| 6051021 | 21         | 50          |
| 6051029 | 29         | 50          |
| 6051035 | 35         | 50          |
| 6051045 | 45         | 50          |
| 6051053 | 53         | 50          |



## LEIDINGKLEMMEN

### GEGALVANISEERD

Voorzien van EPDM rubber.  
Bandbreedte: 12 mm (conform DIN 3016)

| nr.     | klembereik | verpakt per |
|---------|------------|-------------|
| 6054006 | 6          | 100         |
| 6054008 | 8          | 100         |
| 6054010 | 10         | 50          |
| 6054013 | 13         | 50          |
| 6054016 | 16         | 50          |
| 6054021 | 21         | 50          |
| 6054026 | 26         | 50          |
| 6054029 | 29         | 50          |
| 6054035 | 35         | 50          |
| 6054050 | 50         | 50          |



## SUPER STRENGHT SLANGKLEMMEN

### 1- DELIG GEGALVANISEERD

Eéndelige zware slangklemmen, voorzien van een M8 bout.

Materiaal: gegalvaniseerd volgens DIN 50941

Staalband breedte: 20 mm

Staalbanddikte: 1,5 mm

| nr.     | inw. /uitw. | staalbandbreedte |    |
|---------|-------------|------------------|----|
| 6200040 | 40/43       | M8               | 20 |
| 6200044 | 44/47       | M8               | 20 |
| 6200048 | 48/51       | M8               | 20 |
| 6200052 | 52/55       | M8               | 20 |
| 6200056 | 56/59       | M8               | 20 |
| 6200060 | 60/63       | M8               | 25 |
| 6200064 | 64/67       | M8               | 25 |
| 6200068 | 68/73       | M8               | 25 |
| 6200074 | 74/79       | M8               | 25 |
| 6200080 | 80/85       | M8               | 25 |
| 6200086 | 86/91       | M8               | 25 |
| 6200092 | 92/97       | M8               | 25 |
| 6200098 | 98/103      | M8               | 25 |
| 6200104 | 104/112     | M8               | 25 |
| 6200113 | 113/121     | M8               | 25 |
| 6200122 | 122/130     | M8               | 25 |
| 6200131 | 131/139     | M8               | 25 |
| 6200140 | 140 /148    | M8               | 25 |
| 6200149 | 149/161     | M8               | 25 |
| 6200162 | 162/174     | M8               | 25 |
| 6200175 | 175/187     | M8               | 25 |
| 6200188 | 188/200     | M8               | 25 |
| 6200201 | 201/213     | M8               | 25 |
| 6200214 | 214/226     | M8               | 25 |
| 6200227 | 227/234     | M8               | 25 |
| 6200240 | 240/252     | M8               | 25 |



## SUPER STRENGHT SLANGKLEMMEN

### 1- DELIG RVS W5 KWALITEIT

Eéndelige zware slangklemmen, voorzien van een M8 / M6 bout.

Materiaal band: RVS AISI 316, Bout: M8 A4, Moer: M8 A4 / M6 A4

Staalbanddikte: 1,5 mm

| nr.     | inw. /uitw. | staalbandbreedte |    |
|---------|-------------|------------------|----|
| 6400026 | 26/28       | M6               | 20 |
| 6400029 | 29/31       | M6               | 20 |
| 6400032 | 32/35       | M6               | 20 |
| 6400036 | 36/39       | M6               | 20 |
| 6400040 | 40/43       | M6               | 20 |
| 6400044 | 44/47       | M6               | 20 |
| 6400048 | 48/51       | M8               | 20 |
| 6400052 | 52/55       | M8               | 20 |
| 6400056 | 56/59       | M8               | 20 |
| 6400060 | 60/63       | M8               | 25 |
| 6400063 | 64/67       | M8               | 25 |
| 6400067 | 68/73       | M8               | 25 |
| 6400074 | 74/79       | M8               | 25 |
| 6400080 | 80/85       | M8               | 25 |
| 6400086 | 86/91       | M8               | 25 |
| 6400092 | 92/97       | M8               | 25 |
| 6400095 | 98/103      | M8               | 25 |
| 6400104 | 104/112     | M8               | 25 |
| 6400110 | 113/121     | M8               | 25 |
| 6400122 | 122/130     | M8               | 25 |
| 6400132 | 131/139     | M8               | 25 |
| 6400142 | 140/148     | M8               | 25 |
| 6400152 | 149/161     | M8               | 25 |
| 6400162 | 162/174     | M8               | 25 |